

ISU Programming Assessment, Oct 30 2017

Name: _____

CS class account: _____

Put all answers in the boxes. Nothing you write outside of the boxes will be counted. Did you bring an eraser?

1. Write a C program that prints the values of each of $2!$, $4!$, $6!$, ... $12!$ Where $!$ is defined so that $2! = 2$, $4! = 1*2*3*4$, and in general $k! = 1*2*3*...*k$

```
int main(int argc, char *argv[]) {
```

```
    return 0;  
}
```

2. Write a C program that reads from stdin and prints the first 2 lines read, then ..., and then the total number of lines in the input.

```
int main(int argc, char *argv[]) {
```

```
    return 0;  
}
```

3. Write a loop that computes the average value of `data` in a linked list, and also computes the number of data items that are greater than, equal to, and less than 0. Use the types and variables declared below.

```
typedef struct NODE {  
    int data;  
    struct NODE *next;  
} node_t;
```

```
int main(int argc, char *argv[]) {  
    node_t *head, *ptr;  
    /* Assume that the list is somehow created here. */
```

```
    return 0;  
}
```

4. Write a function named `total` that has the root of a binary tree as parameter, and which returns the combined length of all words in the tree. Use the following type declaration.

```
typedef struct BST_NODE_T {  
    char * word;  
    struct BST_NODE_T *left, *right;  
} bst_node_t;
```

5. Write a C function named `howBig` that takes an `int` as parameter and returns 1, 2, or 4 depending on if the number would fit within a `char`, `short`, or `int`. `howBig(96)` would return 1, `howBig(4456)` would return 2, and `howBig(1234567)` would return 4.