STM-Middle Tier

By Naga Dasari

CONFIGURATION

<<Java Class>>

G NGCapitalRestInitializer

in.bharat.springmvc.configuration

NGCapitalRestInitializer()

- ogetRootConfigClasses():Class<?>
- o getServletConfigClasses():Class<?>
- ogetServletMappings():String[]

<<Java Class>>

ONGCapitalRestConfiguration

in.bharat.springmvc.configuration

NGCapitalRestConfiguration()

getDataSource():DriverManagerDataSource

getJDBCTemplate(DriverManagerDataSource):JdbcTemplate

< <java class="">></java>
🕞 Student
in.bharat.springmvc.model
¤ id: int
name: String
age: int
schoolYear: int
Student()
Student(int,String,int,int
getId():int
setId(int):void
getName():String
setName(String):void
getAge():int
setAge(int):void
getSchoolYear():int
e setSchoolYear(int):void
hashCode():int
equals(Object):boolean
toString():String

MODEL

CONTROLLER

<<Java Class>>

G StudentRestController

in.bharat.springmvc.controller


A studentService: StudentService

StudentRestController()

IistAllStudents():ResponseEntity<List<Student>>


- getStudent(int):ResponseEntity<Student>
- createStudent(Student):ResponseEntity<Void>
- oupdateStudent(Student):ResponseEntity<Student>
- odeleteStudent(int):ResponseEntity<Student>
- ø deleteAllStudents():ResponseEntity<Student>

SERVICE



isStudentExist(Student):boolean

DATA ACCESS



Row Mapper

<<Java Class>>

G StudentRowMapper

in.bharat.springmvc.rowmapper

StudentRowMapper()

mapRow(ResultSet,int):Student